

TM66 ASSURED PRODUCT VERIFICATION SCHEME



- 1. The Mark consists of the TM66 Assured Product Verification Certification mark (**The Mark**).
- 2. The Mark shall only be used by customers that have successfully completed all stages of the LIA circular economy certification scheme process (certification scheme TSD-012 TM66 Assured Product Verification Scheme).
- 3. The Mark shall only be used once a certificate has been issued by the LIA for the scope of certified product(s) identified in the certificate.
- 4. The Mark shall not be used to imply that non-certified product(s) are covered under the certificate.
- 5. The Mark shall not be used without indicating that it is a certification mark.

TM66 Product Conformity Certification Mark

- 6. The Mark consists of the mark as shown in Appendix A (Item A). There are three different designs of the Mark available
 - Landscape,
 - Portrait Green Bottom, and
 - Portrait White Bottom.

The Mark is available in colour and in black&white (refer to Appendix A).

- 7. The Mark as shown in Appendix A, with written approval from the LIA shall only be used on:
 - Packaging and Product Literature of products within the scope of certified products identified in the certificate only (e.g. Installation Instructions, Product packaging, Product marking label, etc.).
- 8. The user of the Mark can refer on the website to the LIA certificate and can provide a link to the certification database, where validity of the certificate can be verified.
- 9. The Mark shall only be used in its entirety, and without amendment as shown in Appendix A. For specific guidance on minimum size, position and backgrounds, please refer to Appendix B.
- 10. The relative proportions of the Mark shall always be retained. Any change in size to the mark must retain the correct proportions.
- 11. When marking certified products, no method other than direct printing on the product packaging shall be used unless agreed in writing by the LIA.



TM66 ASSURED PRODUCT VERIFICATION SCHEME

- 12. The user of the Mark shall at the request of the LIA cease to use the mark if the LIA deems the application inappropriate.
- 13. The user of the Mark shall, upon suspension of agreement, immediately discontinue the issue of documents that display the mark or contain reference to the LIA.
- 14. The user of the Mark shall, upon termination of the agreement, shall immediately remove any mentions or links about the product certification from user's website.
- 15. In using the Mark, the user agrees to be bound by the above conditions. Failure to comply with the above conditions for use of the mark may result in withdrawal of agreement and legal action.



Dogo 2 of E

TM66 ASSURED PRODUCT VERIFICATION SCHEME

APPENDIX A

Insert logo here (with certification number) – height 4cm

The Mark - Landscape (Colour)

Insert logo here (with certification number) - height 6cm

The Mark - Portrait - Green Bottom (Colour)

Insert logo here (with certification number) – height 6cm

The Mark - Portrait - White Bottom (Colour)

Insert logo here (with certification number) – height 4cm

The Mark - Landscape (Black&White)

Insert logo here (with certification number) – height 6cm

The Mark - Portrait - Green Bottom (Black&White)

Insert logo here (with certification number) – height 6cm

The Mark - Portrait - White Bottom (Black&White)

APPENDIX BUsage – Sizes

LUC007 Josep 4



TM66 ASSURED PRODUCT VERIFICATION SCHEME

Item A – Landscape Logo	Minimum	Width.		inimum Uni	n la 4	Movi	warren Windeln		Movimu	m Usinhi	
24.41	Minimum Width			Minimum Height			Maximum Width			Maximum Height	
Stationery	55mm		2	21mm			100mm			37mm	
Promotional	55mm		2	21mm			100mm			37mm	
Signage	TBA with LIA		TI	TBA with LIA			TBA with LIA			TBA with LIA	
Item B – Portrait Logos											
	Minimum Width		M	Minimum Height			Maximum Width			Maximum Height	
Stationery	20mm		30	30mm		43mm			70mm		
Promotional	20mm		30	30mm		43mm			70mm		
Signage	TBA with LIA		TI	TBA with LIA		TBA with LIA			TBA with LIA		
						•					
Colours	CMYK						RGB				
	С	M		Υ	K		R	G		В	
Light Green	75	0		100	0		57	18	31	74	
Dark Green	90	30		95	30		0	10	04	56	
Blue	100	0		0	50		0	10	05	145	
White	0	0		0	0	_	255	255		255	



TM66 ASSURED PRODUCT VERIFICATION SCHEME

Backgrounds



Correct



Correct



Incorrect